

yar bearing number and size chart pdf

Our company offers different yar bearing at Wholesale Price? Here, you can get high quality and high efficient yar bearing

YAR Series Y Bearing Insert - Extended Inner with Grub Screw Buy YAR Series Y-Bearing Inserts from Quality Bearings Online Ltd, Products In Stock, Available Online, Same Day Despatch, All Orders Shipped DHL

YAR 208-2F - SKF YAR 208-2F. Popular item. Insert bearings. JUMP TO SECTION.
 TECHNICAL SPECIFICATION. Technical Specification. Metric Imperial. DIMENSIONS. d. 40 mm SKF - YAR 206-2F - Motion Industries Buy SKF Ball Insert Bearings YAR 206-2F direct from Motion Industries. Ball Insert Bearing - Round Bore, 30 mm ID, 2.4409 in OD, 38.1 mm Width, Set Screw

@@@@@@@@								
	T	D	L	G	H	Z	e	S
GE 300 2 RS	-	-	-	-	-	-	-	-
6901 2RS C3	-	72 mm	-	-	-	-	-	-
6901 2Z	-	-	-	-	-	-	-	-
6901 ZZ	-	-	-	-	-	-	-	-
6901-2RS-C3	-	310mm	-	-	-	-	-	-
6901-2Z Abec 3, Z3, V3	-	-	-	-	-	-	41.3 mm	37.3 mm
6901ZZ	-	-	-	-	30.2 mm	16.4 mm	-	6 mm
6902 2RS	-	-	-	-	-	-	-	-
6902 HC5	-	-	-	R1/8"	36.5 mm	-	-	17.4 mm
6902-2RS-C3	-	-	163 mm	R1/8"	47.6 mm	-	-	-
6902-2Z	-	-	-	-	-	-	-	-
6902-2Z/C3	-	9mm	-	-	-	-	-	-
6902SS	-	-	-	-	-	-	-	-
6903-2RS-C3	29.37 mm	-	-	-	-	-	0.4	-
6904 2RS	-	100 mm	-	-	-	-	-	-
6904 2Z	-	-	-	-	-	-	-	-
6904 Z	-	-	-	-	36.5 mm	64.5 mm	-	-
6904-2RS	-	-	-	M6x1	36.5 mm	-	-	14.3 mm
6904-2RS-C3	-	52mm	-	-	-	-	-	-

GE 45 FW	-	-	-	-	-	-	-	-
-2RS								
GE100 -	-	-	-	-	-	-	-	-
FW - 2RS								
GE100-D	-	42	-	-	-	-	-	-
O-2RS								
GE100-K	-	-	-	-	-	-	-	-
RR-B								
GE100-L	-	-	-	-	-	-	-	-
Q								
GE100-U	-	-	-	-	-	-	-	-
K-2RS								
GE120DO	-	-	-	-	-	-	-	-
GE120-D	-	-	-	-	-	-	-	-
Q								
GE120-D	-	-	-	-	-	-	-	-
O-2RS								
GE120-F	-	-	-	-	-	-	-	-
O-2RS								
GE120KR	-	-	-	-	-	-	-	-
RB								
GE120-K	-	-	-	-	-	-	-	-
RR-B								
GE120-U	-	-	-	-	-	-	-	-
K-2RS								
GE125-L	-	-	-	-	-	-	-	-
Q								
GE125-L	-	-	-	-	-	-	-	-
Q								
GE140DO	-	-	-	-	-	-	-	-
-2RS								
GE140-D	-	-	-	-	-	-	-	-
O-2RS								
GE140-U	-	-	-	-	-	-	-	-
K-2RS								
GE160ES	-	-	-	-	-	-	-	-
GE160-U	-	-	-	-	-	-	-	-
K-2RS								
GE16DO.	-	1.75 in	-	-	8.6875 in	-	-	-
2RSR								
16010 C3	-	-	-	-	-	-	-	-
16014 C3	-	270.0000 mm	-	-	-	-	-	-
16020C3	-	35mm	-	-	-	-	-	-
16021C3	-	225mm	-	-	-	-	-	-
16028MC	-	-	-	-	-	-	-	-

3								
16030 C3	-	26mm	-	-	-	-	-	-
16030MC	-	-	-	-	-	-	-	-
3								
16030-M-C3	-	-	-	-	-	-	-	-
16034 C3	-	-	-	-	-	-	-	-
16036C3	-	35mm	-	-	-	-	-	-
16036-C3	-	320mm	-	-	-	-	-	-
16038/C3	-	-	-	-	-	-	-	-
16038-C3	-	165.0000 mm	-	-	-	-	-	-
16038M/C	-	-	-	-	-	-	-	-
3								
16040 C3	-	11mm	-	-	-	-	-	-
16040C3	-	42.0000 mm	-	-	-	-	-	-
16040-M	-	-	-	-	-	-	-	-
16052 C/3	-	52mm	-	-	-	-	-	-
16052 M	-	-	-	-	-	-	-	-
16052M	-	-	-	-	-	-	-	-
16052-M-C3	-	110mm	-	-	-	-	-	-
16064 M	-	160.0000 mm	-	-	-	-	-	-
1614 2RS	-	47mm	-	-	-	-	-	-
1624 2RS	-	250mm	-	-	-	-	-	-
1630 2RS	-	7.5 Inch	-	-	-	-	-	-
1630 US	-	215mm	-	-	-	-	-	-
0312D.J								
17287-2R	-	-	-	258.877 mm	-	-	-	-
S								
176203	-	130mm	-	-	-	-	-	-
2RS								
176203	-	72.0000 mm	-	-	-	-	-	-
2RS1								
183044SL	-	170mm	-	-	-	-	-	-
C3								
192326SL	-	-	-	M 35x1.5	-	-	-	-
C3								
2 X 7344	-	40mm	-	-	-	-	-	-
B.MP.UA(								
DOUBLE)								
20206	-	30mm	-	-	-	-	-	-
KTN9								
20206 M	-	225mm	-	-	-	-	-	-

20207 TDP C3	-	-	-	-	-	-	-	-
20207 TVP	-	-	-	-	-	-	-	-
20207K.T VP.C3	-	145 mm	-	-	45 mm	-	-	-
20207TD PC3	-	180mm	-	-	-	-	-	-
20207-TV P-C3	-	62mm	-	-	-	-	-	-
20208 TDP C3	-	47.0000 mm	-	-	-	-	-	-
20208 TVP	-	85mm	-	-	-	-	-	-
20208TD PC3	-	130mm	-	-	-	-	-	-
20210 K TDP C3	-	100mm	-	-	-	-	-	-
20210 TDP C3	58 mm	160 mm	-	-	-	-	-	-
20210 TVP.C3	-	-	-	-	-	-	-	-

SKF YAR 205-100-2F Ball Bearing Insert, Double SealedSKF YAR 205-100-2F Ball Bearing Insert, Double Sealed, Setscrew Locking, Regreasable, Steel, 1" Bore, 52 mm OD, 15 mm Outer Ring Width, 2430.00 pounds

SKF | YAR 208-2F | Deep Groove Ball Bearing Insert | AppliedShop SKF YAR 208-2F at Applied.com, which includes; Radial Ball Bearing Type, 40 mm Inside Diameter, 80 mm Outside DiameterHTB UC 208 / YAR 208 / GYE 40 KRRB Radial insert ballVAT incl. Back to Radial Insert Ball Bearings HTB UC 208 / YAR 208 / GYE 40 KRRB Radial insert ball bearing Bore diameter 40 mm Outside diameter 53 mm

@@@@@@@@				
KOYO	NACHI	ISO	SKF	INA
6309 ZZ C3	SS 6202 2RS(STAINLES)	G100 130 12	GE140-UK-2RS	20211-TVP
6309 zzc3	SS 6206.2RSR	G1112-KRR-B-AS2/V	GE160ES	20212 TDP C3
6309zzc3	UC 206	G20X28X4	GE160-UK-2RS	20212 TVP.C3
6310 ZZ	UC 207	GAKFL 10MM	GE16DO.2RSR	20212K TDP C3
6312 ZZ	UC 208	GAKFR 8 PW	6901 2RS C3	20212K.TVP.C3
6312TBP63	UC 209	GAKFR30PB	6901 2z	20212KTDP C3
6313 C3	24036 E1	GAL12UK	6901 ZZ	20212TDPC3
6314 ZZ	22206CC/W33	GAL-30UK-2RS	6901-2RS-C3	20213 T
6316 C3	22332E1	GAL50.DO.2RS	6901-2Z Abec 3.	20213 TDP C3

			Z3.V3	
6316 ZZ C3	294/500 EM	GAR 40-DO-2RS	6901ZZ	20213 TVP.C3
6326 M 620A C4	6204 C-2Z	GAR12UK	6902 2RS	20213K TDP C3
7200B-TVP	6224-C3	GAR25-DO	6902 HC5	20213K.TVP.C3
7305-B-XL-2RS-TVP	6316	GAR-30UK-2RS	6902-2RS-C3	20213-K-MB
7312BMPUO	QJ1 952 N2 MPA	GAR50.DO.2RS	6902-2Z	20213KTDPC3
7316 B.MP.U (A/O)	RCJTY20-XL-N	GAR50UK-2RS	6902-2Z/C3	20213TDPC3
7320 BDB	(FAG) 508955	GAR6-UK	6902SS	20217MB
7320BMPUO	{PAIR } HS7026 E TP4 DUL	GAR-6-UK	6903-2RS-C3	20218 MB
7320-B-TVP-UA	{pairs} B7012-CTP4.S DUL	GAY35-XL-NPP-B	6904 2RS	20218 MB
7322 BMPCONT	{PAIRS} B71903-C-T-P4S-DUL	GE 100 LO	6904 2Z	20220MB
7332B	{PAIRS} B7208-CTP.4-DUL	GE 120 FW-2RS	6904 Z	20222-MB
7414BMPUO	{PAIRS} -HSS7010-ETP4 DUL	GE 140 FO 2RS	6904-2RS	20224 MB FINE SCREEN
B 7007 E 2RSD-P5 SUL	1 set= 2pcs 7220BTVP UA	GE 140 FO-2RS	6904-2RS-C3	20224 MB
B 7014-E-T-P4S-UL	1026-2Z-T9H	GE 140 UK 2 RS	16010 C3	20224MB
B 71915 ETP4SUL	108TV	GE 140 UK 2RS	16014 C3	20226 MB
B 7206CTP4SUL	11207 C3	GE 20 KRRB	16020C3	20226-MB
B7004-E-2RSD.P5 S.UL	1201 ETN9	GE 200 DO	16021C3	20232 MB
B7005-E-2RSD.P5 S.UL	1201TV	GE 200 ES	16028MC3	20232-MB
B7006-E-2RSD.P5 S.UL	1202 TV	GE 200 UK_2RS	16030 C3	20234-MB
B7008-C-T-P4S-UL+FAG	1203 TV.C3	GE 200 Uk-2RS	16030MC3	20307-M(Brass Cage)
B7008-E-2RSD.P5 S.UL	1203TVH	GE 200GS-2RS	16030-M-C3	20309 T
B7018CT P4 SVL	1204 TVH	GE 220 DO 2RS	16034 C3	20310-M
B7020-E-2RSD-T-P4S-UL(FAG)	1204 TVP-C3	GE 220 DO-2RS	16036C3	20311-M
B71908 -C-T-P4S-UL ()	1205 ETN9/C3	GE 220 ES-2RS	16036-C3	20318-MB
B71936-C -T-P4S-UL	1205 TVH	GE 240 DO-2RS	16038/C3	203KRRAH02
B7202-E-T-P4S-	1206 ZZ	GE 25 ES	16038-C3	205ucp

UL				
B7203-E-T-P4S-UL	1206 TVH	GE 25 FW	16038M/C3	207ucf
B7207E P4 UL	1207 K TVH C3	GE 25-2RS	16040 C3	208ucp
B7208-C-T-P4S-DBL	1211-TVH	GE 260 DO-2RS	16040C3	20967831 (566426.01.H195)
BSB 2562-2RS	1212-K TVHC3	GE 260 ES-2RS	16040-M	209ucp
E-125UZS224	1213 K	GE 30 DO	16052 C/3	20TM05
FAG 3305 BD 2Z TVH L140 C3	1213 K C3	GE 30 ES 2RS	16052 M	21036050 (566425.H195)
FAG 6212nc3	1213 TV	GE 300 DO-2RS	16052M	210PP20
GE140-UK-2RS	1213K.TVH.C3+H213	GE 35 KRRB	16052-M-C3	210ucp
H3040	1213-K-C3	GE 35 KRRB + CJTZ 07	16064 M	211ucp
H3140	1213-TVHC3	GE 40 DO	1614 2RS	21304 E1
HJ 313 E.F1+ NJ3 13-E-XL-M1-F1	1213-TVH-C3	GE 40 ES-2RS	1624 2RS	21304 E1-TVP-B
JKOS040	1215K.TV.C3	Ge 40 Lo	1630 2RS	21304-E1AMC3
LOE224BL	1215-K-TV-C3	GE 45 AX	1630 US 0312D.J	21305E.TVPB
N 224 / EMI.C3	1216 KTVHC3	GE 50 KRRB	17287-2RS	21306 E4 C3
N 307	1216-K-TVH-C3	GE 50-FO-2RS	176203 2RS	21307 E1
N1022-K-MI-SP FAG	1218M C4	GE 60 ES 2RS	176203 2RS1	21308 E
N221E1-XL	1224 M/C3	GE 60 KRRB	183044SLC3	21308-E 1
N319 ECM	1224M/C3	Ge 63 Lo	192326SLC3	21310-E1 C3
NJ 2315	1224-M/C3	GE 80 DO 2 RSR	2 X 7344 B.MP.UA (DOUBLE)	21311-E1 C3
NJ 310 CE C3	1230-M.C3	GE 80 DO-2RS	20206 KTN9	21311-E1-C3
NJ2320EM1AC4	1230-M-C3	GE 80 LO 2RS	20206 M	21311-E1-XL
NJ310 ECJ/C3 (X-LIFE)	1230-M-C4	GE 90KRRB+RME 90+ME 18	20207 TDP C3	21312 CA C3 W33
NU 224	1306 TVH	GE 100-LO	20207 TVP	21313 E
NU 238M	1306K. TV. C3-13 06-K-TVH-C3	GE 240 2RS	20207K.TVP.C3	21313-E1
NU 310E.M1.C3	1306K.TV.C3	GE 300 2RS	20207TDPC3	21314-E1
NU 2232 EM1C3	1307 K TVH C3	GE 45 FW-2RS	20207-TVP-C3	21315.E1.C3
NU12/560MA	1308-K-C3	GE100 - FW - 2RS	20208 TDP C3	21317 CC
NU206MAC3	1308-K-TVH-C3	GE100-DO-2RS	20208 TVP	21317 EBA
NU2318E	1309 K/C3	GE100-KRR-B	20208TDPC3	21317-E1
NU3060	1311 KTV/C3	GE100-LO	20210 K TDP C3	CSCA 030W1030
NU406M1.C3	1311 C3	GE100-UK-2RS	20210 TDP C3	CSCB030
NUP 204-E-TVP2	1311K	GE120DO	20210 TVP.C3	CSCD 040
NUP2222	1311-K-C3	GE120-DO	20210K.TVP.C3	CSCG120
QJ221-N2-MPA	1311-K-TVH-C3	GE120-DO-2RS	20210KTDPC3	CSCG-180
QJ316-N2-MPA	1311TV	GE120-FO-2RS	20210-K-TVP-C3	CSCU.090-2RS

QJ330N	1312K	GE120KRRB	20210TDPC	CSCU-065-2RS
SL 182930-B-XL	1312K.TV.C3	GE120-KRR-B	20211 TDP C3	CSCU-090.2RS
SL04-5022PP2NR	1315K	GE120-UK-2RS	20211 M	CSCU090-2RS
SNV 100	1316-K-M-C3	GE125-LO	20211K TDP C3	CSCU-090-2RS
SS 6202 2RS(STAINLES)	1316M	GE125-LO	20211K.TVP.C3	CSEA025
SS 6206.2RSR	1318 KM.C3	GE140DO-2RS	20211KTDPC3	CSEB030
UC 206	1322-K-M-C3 + H322	GE140-DO-2RS	20211M	CSEB035
UC 207	16003 C3	GE140-UK-2RS	20211M.C3	CSEC040
UC 208	16004-2Z	GE160ES	20211TDPC3	CSK 20
UC 209	16004-A-2Z	GE160-UK-2RS	20211-TVP	CSK6005
24036 E1	16004ZZ	GE16DO.2RSR	20212 TDP C3	CSXA 050
22206CC/W33	16005-A	6901 2RS C3	20212 TVP.C3	CSXA 050 Z105
22332E1	16007 2RS	6901 2z	20212K TDP C3	CSXB030
294/500 EM	16007-2Z	6901 ZZ	20212K.TVP.C3	CSXB035
6204 C-2Z	16008-A	6901-2RS-C3	20212KTDPC3	CSXD160
-	16008-C3	6901-2Z Abec 3, Z3, V3	20212TDPC3	-
-	-	-	20213_I	-

SKF Bearing Inserts YAR 208-2F - RS ComponentsBuy SKF Bearing Inserts YAR 208-2F YAR 208-2F. Browse our latest Bearing Units - Inserts & Accessories offers. Free Next Day DeliveryY-bearings and Y-bearing units - Geers-Industriebearing onto the shaft. In applications where. Y-bearings with. • grub screws, series YAT 2 and YAR 2-2F or. • an eccentric locking collar, series YET 2 and YEL

Ball Bearing Insert YAR 205-100-2F, 25.4mm ID - RS MalaysiaBuy Ball Bearing Insert YAR 205-100-2F, 25.4mm ID YAR 205-100-2F or other Bearing Units - Plummer Block & Accessories online from RS for next day SKF - YAR 208-2F - Motion IndustriesBuy SKF Ball Insert Bearings YAR 208-2F direct from Motion Industries. Ball Insert Bearing - Round Bore, 40 mm ID, 3.1496 in OD, 49.2 mm Width, Set Screw